

**KOVAX**<sup>®</sup>  
CATALOGUE  
2022



[WWW.KOVAX.EU](http://WWW.KOVAX.EU)





トルブロック S  
KOVAX®



## Fast

Our solutions provide you the means to work as efficient as possible.



## Safe

You are always in control with our dry sanding system.



## Easy

The Kovax sanding system has a solution for every problem.

# The Story of Perfection. Our Story.

Because of our Japanese roots, aiming for the highest quality is in our DNA. We pursue this at a product level and in our customer support. Our urge for perfection is embedded in the Japanese culture, where perfection is symbolized by a circle. Within living memory this so-called Ensō is being represented as an expression of perfection. Because the Ensō is such an important and meaningful symbol with which Kovax can strongly identify, the circle is a recurring element in our design. In the Japanese writing system of Kanji Ensō also literally means 'circle of togetherness'. Meaning maintaining harmonious cooperations with relations.

This vision is fully in line with the mental legacy of Kovax. We create perfection in our ultra-modern factories, where we combine the latest (production) technologies with our 90 years of experience of developing and producing sanding solutions. The result is a complete sanding line that enables

dry sanding until the finest grit. Thanks to the impressive and extremely uniform end result you can truly differentiate yourself and, at the same time, seriously reduce your labour time. But we go even further! Our need for perfection also means we think ahead: how can we make tomorrow's work easier and more efficient for you? Or, which sanding solution can we offer you for new application fields, materials, etc.? We therefore regularly introduce innovative products that are completely new world-wide.

Above all, however, we are seeking perfection by creating harmonious relationships with our customers. Personal contact, loyalty and short lines of communication. Be in touch with each other.

That is the force of Kovax. That is our Story of Perfection!

**45**  
countries

## The Kovax Family

One of the basic principles within the Japanese culture is loyalty. This was already applied by the Japanese Samurai warriors. Kovax also is a strong supporter: in all our relations we strive for a long term cooperation, based on mutual respect and trust.

Meanwhile our partner network consists of partners from 45 countries. Together we cooperate, share knowledge and our partners mutually respect each other's markets. In doing so we create new business opportunities, enlarge each other's success and realise continuity. A stable future, particularly in changing market conditions.

Together we stand strong and can face any challenge. We are the Kovax family!

# ICONS

Discover, by means of the icons, the right Kovax solutions for each application. At a single glance you see which products are suitable for which applications.

## APPLICATION

-  METAL SANDING
  -  REMOVING OLD LAYERS
  -  PUTTY SANDING
  -  PRIMER SANDING
  -  BLENDING
  -  REMOVING IMPERFECTIONS
  -  FINISHING
  -  WATERPROOF
- 

## TIPS

-  PRODUCT TIPS
  -  PRACTICAL TIPS
- 

## ADHESION

-  SUPER TACK
-  STICK-ON

*The prices in our ordering system SAP are rounded off to two decimal places. Especially with large quantities this can cause small rounding errors, for which we cannot be held liable.*

## 6

### DISCOVER

New products	6
Top products	10

## 14

### MACHINE SANDING

Maxcut	14
Tri-Pro	16
Premium	18
 Maxfilm	20
Magic Disc	22

## 23

### MANUAL SANDING

Maxcut	23
Maxfilm	24
Kofle-X	26
Foam-X rolls	26
Highflex	27
Doubleflex	27
Sanding Block 4 Sided	27
Angled Sanding Block 4 Sided	28
Sheets without adhesion	28
Waterproof	29

## 30

### SUPER ASSILEX

 Super Assilex discs	30
Super Assilex pads	31
Super Assilex sheets & accessories	32

## 34

### FINISHING

 Yellow Film	34
Tolecut	36
Tolex	38
Buflex Dry	40
Buflex Wet	42
Assilex Stick-On & accessories	43
Polish	44
Polish Pads	45

## 46

### TOOLS & OTHER

Tools	46
 ProMa-X tool line	48
 Back-up pads	52
 Interface pads	55
Accessories	56
Handblocks	58
Pro-Mate Workstation	60
Spot On 2.0 kit	62
Tolekit	63
Pro-Xpose	63

# DISCOVER OUR NEW PRODUCTS:

## SMART REPAIR, FROM PREPARATION TO FINISH




**PROMA-X AIR 75**  
910-0680 | Page 49



**PROMA-X AIR 75D - WITH DUST EXTRACTION**  
910-0685 | Page 49




**INTERFACE PAD Ø75MM 6 HOLES**  
973-0006 | Page 55



**YELLOW FILM ST Ø77MM MULTIHOLE**  
731-\*\*\*\* | Page 35



**SUPER ASSILEX PEACH ST Ø75MM K1500**  
730-2505 | Page 30



**MAXFILM ST Ø77MM MULTIHOLE**  
523-8\*\*\* | Page 21





# OPTIMAL DUST EXTRACTION NOW SUITABLE FOR EVERY MACHINE



USE IN COMBINATION WITH MAXFILM MULTIHOLE DISCS (PAGE 20).

# DISCOVER OUR NEW PRODUCTS:



**PROMA-X BACK-UP PAD Ø150MM MH 5/16"**  
973-0001 | Page 52



**PROMA-X FUSION BACK-UP PAD  
Ø150MM MH 5/16" (MEDIUM)**  
973-0003 | Page 52



**INTERFACE PAD Ø150MM MULTIHOLE**  
973-0002 | Page 55




**PROMA-X FUSION PAD ADAPTER FOR  
RUPES SKORPIO PNEUMATIC**  
973-0004 | Page 52



**PROMA-X FUSION PAD ADAPTER FOR  
RUPES SKORPIO ELECTRIC**  
973-0005 | Page 52

# TOP PRODUCTS





## MAXCUT P60 - P180

THE NUMBER 1 SOLUTION WHEN  
SANDING HARD PUTTY AND METAL.



### ADVANTAGES MAXCUT

The Maxcut products have specially hardened Aluminium Oxide grains, which score a 9.8 on Mohs scale of mineral hardness. Compared to the hardest mineral, which is industrially produced diamond with a score of 10, this is nearly the hardest existing mineral and thus perfectly suited for extremely hard sanding work. Thanks to its open structure clogging will be prevented.




## MAXFILM P80 - P600

MAXFILM STANDS FOR MAXIMUM  
DURABILITY FOR ALL YOUR  
SANDING WORK, FROM SANDING  
BARE METAL TO SANDING PRIMER.



### ADVANTAGES MAXFILM

The film backing of Maxfilm allows a more direct contact with the sanding surface and prevents the grains to drop into the backing. In combination with its double anti-clogging coating this results in a significantly longer lifetime. The printed P-value on top of the disc ensures maximum ease of use.







## SUPER ASSILEX K240 - K1500

*THE UNIQUE WAY OF DRY SANDING,  
UNIFORMITY AND FLEXIBILITY THAT  
AMAZE.*



### ADVANTAGES SUPER ASSILEX

The innovative latex backing and the unique grain structure result in extremely uniform and shallow scratches. The products of Super Assilex are supporting you during your daily sanding jobs due to Super Assilex'outstanding cutting performance and speed. This results in more efficiency. Super Assilex prevents potential problems in the rest of the sanding process.



## MAGIC DISC 320 - 500

*SPECIALLY DEVELOPED SANDING  
DISC FOR E-COAT AND VERY HARD,  
MATT CLEAR COAT SANDING.*



### ADVANTAGES MAGIC DISC


The Magic Disc with its film backing, the new developed diamond grain and the new generation 2.0 anti-clogging coating, has an unbelievable long lifetime on hard coatings. High aggressiveness comes together with very uniform scratches.



USE **SPY SPRAY** OR  
**DRY GUIDE COAT**  
WHEN SANDING PUTTY  
AND PRIMER.

PAGE 56

FOR THE  
**BEST & FASTEST  
RESULTS**, USE 5 MM  
ORBIT FOR ALL OUR  
PRODUCTS.



## YELLOW FILM

P800 - P2000


*THE NUMBER 1 SOLUTION FOR BLENDING ZONES, WITH A GUARANTEED PERFECTLY, NON-VISIBLE TRANSITION FROM OLD TO NEW CLEAR COAT.*



### ADVANTAGES YELLOW FILM

The film backing in combination with an anti-burning coating allows a cool sanding process. Consequently, burning spots can be brought to a minimum and the risk of deep scratches is reduced significantly. Yellow Film is ideal for top coat sanding, removal of imperfections and removal of orange peel structure. The main markets of Yellow Film are the automotive sector and the wood industry.

- 152 MM 
- 125 MM 
- 77 MM 
- 75 MM 
- 35 MM 



## TOLECUT

K800 - K3000


*THE WORLD CHAMPION WHEN IT COMES TO DRY IMPERFECTION REMOVAL.*



### ADVANTAGES TOLECUT

Tolecut is a dry sanding system. Without the use of water it is always possible to see how far the imperfection has been removed. Because of the constant visible result, the risk to sand through the topcoat is reduced to a minimum. Tolecut is unique in its cutting power and due to its flexibility it is also suitable for concave and convex areas. The ease of use makes it a must have for every dent professional.

- 70 x 114 MM 
- 29 x 35 MM 
- 70 x 29 MM 
- 34 MM 



## BUFLEX DRY

### K2000 - K3000

*THE FINEST ABRASIVE FOR  
MAXIMUM POLISH TIME  
REDUCTION.*



#### ADVANTAGES BUFLEX DRY

The ultra flexible, innovative latex backing with a unique grain structure ensures extremely uniform scratches. The especially developed female-female velcro ensures process safety and prevents scratches caused by hard velcro. Buflex Dry retains the coating structure.

152 MM



125 MM



75 MM



130 x 170 MM



# MAXCUT


## MAXCUT SUPER TACK DISCS 203 MM - 8 HOLES

Art. No.	Grit	Application	Box	Carton
583-0060	P60	  	50	300
583-0080	P80	  	50	300
583-0120	P120	  	50	300




## MAXCUT SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
569-0060	P60	  	50	400
569-0080	P80	  	50	400
569-0120	P120	  	50	400
569-0180	P180		50	600




## MAXCUT SUPER TACK DISCS 152 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
563-0060	P60	  	50	400
563-0080	P80	  	50	400
563-0120	P120	  	50	400
563-0180	P180		50	600



## MAXCUT SUPER TACK DISCS 152 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
562-0060	P60	  	50	400
562-0080	P80	  	50	400
562-0120	P120	  	50	400
562-0180	P180		50	600




 GRITS P60 & P80 ARE VERY SUITABLE FOR REMOVING SEAM WELDS AND SPOT WELDS.

 USE MAXCUT WITH LOW MACHINE SPEED FOR MAXIMUM PERFORMANCE.  
IDEAL FOR SANDING OLD COATINGS, PUTTY, BARE METAL & HARDWOOD LIKE BEECH OR WALNUT.


## MAXCUT SUPER TACK DISCS 125 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
553-0080	P80		50	400
553-0120	P120		50	400




## MAXCUT SUPER TACK DISCS 125 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
552-0060	P60		50	400
552-0080	P80		50	400
552-0120	P120		50	400
552-0180	P180		50	600




GRITS P60 & P80 ARE VERY SUITABLE FOR REMOVING SEAM WELDS AND SPOT WELDS.



# TRI-PRO

## TRI-PRO SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
527-0040	P40		50	600
527-0060	P60		100	800
527-0080	P80		100	800
527-0100	P100		100	800
527-0120	P120		100	1200
527-0150	P150		100	1200
527-0180	P180		100	1200
527-0220	P220		100	1200
527-0240	P240		100	1200
527-0280	P280		100	1200
527-0320	P320		100	1200
527-0360	P360		100	1200
527-0400	P400		100	1200
527-0500	P500		100	1200
527-0600	P600		100	1200



## TRI-PRO SUPER TACK DISCS 152 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
525-0060	P60		100	800
525-0080	P80		100	800
525-0100	P100		100	800
525-0120	P120		100	1200
525-0150	P150		100	1200
525-0180	P180		100	1200
525-0220	P220		100	1200
525-0240	P240		100	1200
525-0280	P280		100	1200
525-0320	P320		100	1200
525-0360	P360		100	1200
525-0400	P400		100	1200
525-0500	P500		100	1200
525-0600	P600		100	1200



USE **SPY SPRAY** OR  
**DRY GUIDE COAT**  
WHEN SANDING  
PUTTY AND PRIMER.


PAGE 56



## TRI-PRO SUPER TACK DISCS 125 MM - 8 HOLES

Art. No.	Grit	Application	Box	Carton
557-0060	P60		100	800
557-0080	P80		100	800
557-0100	P100		100	800
557-0120	P120		100	1200
557-0150	P150		100	1200
557-0180	P180		100	1200
557-0220	P220		100	1200
557-0240	P240		100	1200
557-0280	P280		100	1200
557-0320	P320		100	1200
557-0360	P360		100	1200
557-0400	P400		100	1200
557-0500	P500		100	1200
557-0600	P600		100	1200

USE IN COMBINATION WITH BACK-UP PAD **885-0169** AND WHEN NEEDED USE INTERFACE PAD **885-0712**.




## TRI-PRO SUPER TACK DISCS 125 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
514-0060	P60		100	800
514-0080	P80		100	800
514-0100	P100		100	800
514-0120	P120		100	1200
514-0150	P150		100	1200
514-0180	P180		100	1200
514-0220	P220		100	1200
514-0240	P240		100	1200
514-0280	P280		100	1200
514-0320	P320		100	1200
514-0360	P360		100	1200
514-0400	P400		100	1200
514-0500	P500		100	1200
514-0600	P600		100	1200

USE IN COMBINATION WITH BACK-UP PAD **885-0169** AND WHEN NEEDED USE INTERFACE PAD **885-0712**.



## TRI-PRO BACK-UP PAD 125 MM - 8 HOLES



## TRI-PRO INTERFACE PAD 125 MM - 8 HOLES




Art. No.	Thread size	Box
885-0169	5/16"	1

Art. No.	Box
885-0712	2

# PREMIUM


## PREMIUM SUPER TACK DISCS 203 MM - 8 HOLES

Art. No.	Grit	Application	Box	Carton
786-0180	P180		50	300
786-0240	P240		50	300
786-0320	P320		50	300




## PREMIUM SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
568-0060	P60		50	400
568-0080	P80		50	400
568-0120	P120		50	400
568-0150	P150		50	600
568-0180	P180		50	600
568-0220	P220		50	600
568-0240	P240		50	600
568-0280	P280		50	600
568-0320	P320		50	600
568-0360	P360		50	600
568-0400	P400		50	600
568-0500	P500		50	600
568-0600	P600		50	600



## PREMIUM SUPER TACK DISCS 152 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
566-0060	P60		50	400
566-0080	P80		50	400
566-0120	P120		50	400
566-0150	P150		50	600
566-0180	P180		50	600
566-0220	P220		50	600
566-0240	P240		50	600
566-0280	P280		50	600
566-0320	P320		50	600
566-0360	P360		50	600
566-0400	P400		50	600
566-0500	P500		50	600
566-0600	P600		50	600



## PREMIUM SUPER TACK DISCS 152 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
565-0080	P80		50	400
565-0120	P120		50	400
565-0180	P180		50	600
565-0220	P220		50	600
565-0240	P240		50	600
565-0320	P320		50	600
565-0400	P400		50	600
565-0500	P500		50	600
565-0600	P600		50	600

## PREMIUM SUPER TACK DISCS 75 MM - WITHOUT HOLES


Art. No.	Grit	Application	Box	Carton
730-0060	P60		50	1800
730-0080	P80		50	1800
730-0120	P120		50	1800
730-0150	P150		50	1800
730-0180	P180		50	1800
730-0220	P220		50	1800
730-0240	P240		50	1800
730-0280	P280		50	1800
730-0320	P320		50	1800
730-0400	P400		50	1800
730-0500	P500		50	1800
730-0600	P600		50	1800



# MAXFILM

## MAXFILM SUPER TACK DISCS 152 MM - MULTIHOLE

Art. No.	Grit	Application	Box	Carton
523-9080	P80		50	600
523-9120	P120		50	600
523-9150	P150		50	600
523-9180	P180		50	600
523-9220	P220		50	600
523-9240	P240		50	600
523-9280	P280		50	600
523-9320	P320		50	600
523-9360	P360		50	600
523-9400	P400		50	600
523-9500	P500		50	600
523-9600	P600		50	600



## MAXFILM SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
523-0080	P80		50	600
523-0120	P120		50	600
523-0150	P150		50	600
523-0180	P180		50	600
523-0220	P220		50	600
523-0240	P240		50	600
523-0280	P280		50	600
523-0320	P320		50	600
523-0360	P360		50	600
523-0400	P400		50	600
523-0500	P500		50	600
523-0600	P600		50	600



## MAXFILM SUPER TACK DISCS 152 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
520-0080	P80		50	600
520-0120	P120		50	600
520-0150	P150		50	600
520-0180	P180		50	600
520-0220	P220		50	600
520-0240	P240		50	600
520-0280	P280		50	600
520-0320	P320		50	600
520-0360	P360		50	600
520-0400	P400		50	600
520-0500	P500		50	600
520-0600	P600		50	600



## MAXFILM SUPER TACK DISCS 152 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
521-0120	P120		50	600
521-0150	P150		50	600
521-0180	P180		50	600
521-0220	P220		50	600
521-0240	P240		50	600
521-0280	P280		50	600
521-0320	P320		50	600
521-0360	P360		50	600
521-0400	P400		50	600
521-0500	P500		50	600
521-0600	P600		50	600




## MAXFILM SUPER TACK DISCS 125 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
513-0120	P120		50	600
513-0150	P150		50	600
513-0180	P180		50	600
513-0220	P220		50	600
513-0240	P240		50	600
513-0320	P320		50	600
513-0400	P400		50	600
513-0500	P500		50	600
513-0600	P600		50	600



## MAXFILM SUPER TACK DISCS 77 MM - MULTIHOLE

Art. No.	Grit	Application	Box	Carton
523-8080	P80		50	1800
523-8100	P100		50	1800
523-8120	P120		50	1800
523-8150	P150		50	1800
523-8180	P180		50	1800
523-8220	P220		50	1800
523-8240	P240		50	1800
523-8280	P280		50	1800
523-8320	P320		50	1800
523-8360	P360		50	1800
523-8400	P400		50	1800
523-8500	P500		50	1800
523-8600	P600		50	1800




NEW

# MAGIC DISC


## MAGIC DISC SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
528-0320	320		10	200
528-0400	400		10	200
528-0500	500		10	200



 USE THE MAGIC DISC 320 & 400 TO PREPARE E-COAT SURFACES. USE MAGIC DISC 500 TO PREPARE MATT AND SCRATCH-RESISTANT CLEAR COATS BEFORE REPAINTING.



 USE IN COMBINATION WITH THE HARD SUPER ASSILEX INTERFACE PAD (971-0057) (PAGE 31) FOR EASIER USE ON CONVEX AND CONCAVE PARTS.



# MAXCUT

## MAXCUT SUPER TACK SHEETS 70 X 198 MM - MULTIHOLE

Art. No.	Grit	Application	Box	Carton
704-0060	P60	  	50	1200
704-0080	P80	  	50	1200
704-0120	P120	  	50	1200
704-0180	P180		50	1200




## MAXCUT SUPER TACK SHEETS 70 X 402 MM - 14 HOLES

Art. No.	Grit	Application	Box	Carton
799-9060	P60	  	50	800
799-9080	P80	  	50	800
799-9120	P120	  	50	800
799-9180	P180		50	800



## MAXCUT SUPER TACK SHEETS 115 X 230 MM - MULTIHOLE

Art. No.	Grit	Application	Box	Carton
708-0060	P60	  	50	500
708-0080	P80	  	50	500
708-0120	P120	  	50	500
708-0180	P180		50	500



## MAXCUT SUPER TACK SHEETS 70 X 126 MM - MULTIHOLE

Art. No.	Grit	Application	Box	Carton
702-0060	P60	  	50	1800
702-0080	P80	  	50	1800
702-0120	P120	  	50	1800
702-0180	P180		50	1800



SAND CROSSWISE TO AVOID DEEP SANDING SCRATCHES.  
LOOK ON PAGE 58 FOR ALL OUR HANDBLOCKS.

# MAXFILM

## MAXFILM SUPER TACK SHEETS 70 X 198 MM - MULTIHOLE

Art. No.	Grit	Application	Box	Carton
703-0080	P80		50	1600
703-0120	P120		50	1600
703-0180	P180		50	1600
703-0240	P240		50	1600
703-0320	P320		50	1600
703-0400	P400		50	1600




## MAXFILM SUPER TACK SHEETS 70 X 402 MM - MULTIHOLE

Art. No.	Grit	Application	Box	Carton
705-0080	P80		50	800
705-0120	P120		50	800
705-0180	P180		50	800
705-0240	P240		50	800
705-0320	P320		50	800
705-0400	P400		50	800



## MAXFILM SUPER TACK SHEETS 115 X 230 MM - MULTIHOLE

Art. No.	Grit	Application	Box	Carton
707-0080	P80		50	1000
707-0120	P120		50	1000
707-0180	P180		50	1000
707-0240	P240		50	1000
707-0320	P320		50	1000
707-0400	P400		50	1000



## MAXFILM SUPER TACK SHEETS 70 X 126 MM - MULTIHOLE

Art. No.	Grit	Application	Box	Carton
7010080	P80		50	2400
7010120	P120		50	2400
7010180	P180		50	2400
7010240	P240		50	2400
7010320	P320		50	2400
7010400	P400		50	2400





## KOFLE-X SLIM HAND PADS 115 X 230 MM

Art. No.	Color	Grit	Application	Box
900-7950	Red	Very Fine		25
900-7951	Grey	Ultra Fine		25

FLEXIBLE MATERIAL FOR HARD-TO-REACH SPOTS. SCUFFING ALTERNATIVE FOR SUPER ASSILEX.

USE MATTING PASTE FINE (852-0260) FOR FASTER AND EASIER SCUFFING.

ECONOMIC CHOICE



## KOFLE-X PERFORMANCE HAND PADS 115 X 230 MM

Art. No.	Color	Grit	Application	Box
900-7952	Red	Very Fine		20
900-7953	Grey	Ultra Fine		20

THICKER & MORE AGGRESSIVE. SCUFFING ALTERNATIVE FOR SUPER ASSILEX.

USE MATTING PASTE FINE (852-0260) FOR FASTER AND EASIER SCUFFING.

ECONOMIC CHOICE



## KOFLE-X PERFORMANCE ROLLS 115 MM X 10 M

Art. No.	Color	Grit	Application	Box
900-7954	Red	Very Fine		1
900-7955	Grey	Ultra Fine		1

SCUFFING ALTERNATIVE FOR SUPER ASSILEX.

USE MATTING PASTE FINE (852-0260) FOR FASTER AND EASIER SCUFFING.

ECONOMIC CHOICE



## MATTING PASTE FINE - WATERBASE 1 L

Art. No.
852-0260

THE COMBINATION OF MATTING PASTE AND KOFLE-X OFFERS A MORE UNIFORM SANDING RESULT AND ENABLES A SIGNIFICANT REDUCTION OF COUNTER-PRESSURE DURING SANDING.



## FOAM-X ROLLS 115 MM X 25 M

Art. No.	Grit	Application	Box
KFX-0180	P180		1
KFX-0240	P240		1
KFX-0320	P320		1
KFX-0400	P400		1
KFX-0500	P500		1
KFX-0600	P600		1
KFX-0800	P800		1

SANDING ALTERNATIVE FOR SUPER ASSILEX.

ECONOMIC CHOICE



## HIGHFLEX SOFTPADS 115 X 140 X 6 MM

Art. No.	Grit	Application	Box
HFX-MEDIUM-20	Medium		20
HFX-FINE-20	Fine		20
HFX-SUPERFINE-20	Super Fine		20
HFX-ULTRAFINE-20	Ultra Fine		20
HFX-MICROFINE-20	Micro Fine		20



20x



SANDING ALTERNATIVE FOR SUPER ASSILEX.



ECONOMIC CHOICE

## HIGHFLEX SOFTPADS 115 X 140 X 6 MM

Art. No.	Grit	Application	Box
HFX-MEDIUM	Medium		100
HFX-FINE	Fine		100
HFX-SUPERFINE	Super Fine		100
HFX-ULTRAFINE	Ultra Fine		100
HFX-MICROFINE	Micro Fine		100



100x



SANDING ALTERNATIVE FOR SUPER ASSILEX.



ECONOMIC CHOICE

## DOUBLEFLEX SOFTPADS 123 X 98 X 13 MM

Art. No.	Grit	Application	Box
901-0010	Grey Medium		100
901-0020	Red Fine		100
901-0030	Blue Super Fine		100
901-0040	Green Ultra Fine		100
901-0050	Beige Micro Fine		100



DUE TO ITS FLEXIBLE POLYURETHANE FOAM, DOUBLEFLEX ADAPTS EASILY TO THE CONTOURS OF THE SURFACE.



ECONOMIC CHOICE

## SANDING BLOCK 4 SIDED 100 X 68 X 25 MM

Art. No.	Grit	Application	Box
902-0010	Medium		250
902-0020	Fine		250
902-0030	Super Fine		250
902-0040	Ultra Fine		250



IDEAL FOR WOODWORKING. MAKES IT POSSIBLE TO PROCESS CORNERS, EDGES AND RIGHT ANGLES.



ECONOMIC CHOICE

## ANGLED SANDING BLOCK 4 SIDED 115 X 90 X 68 X 25 MM


Art. No.	Grit	Application	Box
902-0015	Medium		100
902-0025	Fine		100
902-0035	Super Fine		100
902-0045	Ultra Fine		100



 IDEAL FOR WOODWORKING. MAKES IT POSSIBLE TO SAND RIGHT ANGLES WHEN ONLY ONE SIDE SHOULD BE SANDED  ECONOMIC CHOICE

## SHEETS - WITHOUT ADHESION 115 X 280 MM

Art. No.	Grit	Application	Box	Carton
220-0040	P40		100	800
221-0060	P60		100	800
221-0080	P80		100	1000
221-0100	P100		100	1000
221-0120	P120		100	1000
224-0150	P150		100	2000
224-0180	P180		100	2000
224-0220	P220		100	2000
224-0240	P240		100	2000
224-0280	P280		100	2000
224-0320	P320		100	2000
224-0360	P360		100	2000
224-0400	P400		100	2000



## WATERPROOF BLACK - SILICON CARBIDE 230 X 280 MM



Art. No.	Grit	Application	Box	Carton
101-0060	P60	⊙	50	500
101-0080	P80	⊙	50	500
101-0100	P100	⊙	50	500
101-0120	P120	⊙	50	500
102-0150	P150	⊙	50	1000
102-0180	P180	⊙	50	1000
102-0220	P220	⊙	50	1000
102-0240	P240	⊙ ↗ ↘	50	1000
102-0280	P280	↗ ↘	50	1000
102-0320	P320	↗ ↘	50	1000
102-0360	P360	↗ ↘	50	1000
102-0400	P400	↗ ↘	50	1000
102-0500	P500	↗ ↘	50	1000
102-0600	P600	↗ ↘	50	1000
102-0800	P800	↗ ↘ 🖐	50	1000
102-1000	P1000	↗ ↘ 🖐	50	1000
102-1200	P1200	↗ ↘ 🖐	50	1000
102-1500	P1500	🖐	50	1000
102-2000	P2000	🖐	50	1000



MANUAL SANDING



CAN BE USED WITH THE CANDYBLOCK (971-0001).

## WATERPROOF BROWN - ALUMINIUM OXIDE 230 X 280 MM



Art. No.	Grit	Application	Box	Carton
105-0180	P180	⊙	50	1000
105-0220	P220	⊙	50	1000
105-0240	P240	⊙ ↗ ↘	50	1000
105-0280	P280	↗ ↘	50	1000
105-0320	P320	↗ ↘	50	1000
105-0400	P400	↗ ↘	50	1000
105-0600	P600	↗ ↘	50	1000
105-0800	P800	↗ ↘ 🖐	50	1000
105-1000	P1000	↗ ↘ 🖐	50	1000
105-1200	P1200	↗ ↘ 🖐	50	1000



CAN BE USED WITH THE CANDYBLOCK (971-0001).

## CANDYBLOCK 140 X 70 MM & 45 X 70 MM


Art. No.
971-0001



# SUPER ASSILEX DISCS

## SUPER ASSILEX SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
193-2537	K240*		25	1000
193-2535	K320*		25	1000
193-1575	K360*		25	1000
193-2533	K400*		25	1000
193-2532	K500*		25	1000
193-1578	K600*		25	1000
193-1579	K800*		25	1000
193-2527	K1000*		25	1000
193-1580	K1200*		25	1000
193-2525	K1500		25	1000




\* FOR ECONOMIC ALTERNATIVES FOR SCUFFING & SANDING GO TO PAGE 26 & 27.



EXCLUSIVELY USE WITH MICRO VELCRO INTERFACE PADS. USE MICRO VELCRO INTERFACE PAD **971-0057** (HARD) TO FLATTEN THE SURFACE AND INCREASE AGGRESSIVENESS AND USE INTERFACE PAD **971-0091** (SOFT) FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.

## SUPER ASSILEX SUPER TACK DISCS 152 MM - 7 HOLES


Art. No.	Grit	Application	Box	Carton
193-1538	K600*		25	1000
193-1539	K800*		25	1000
193-1540	K1200*		25	1000



EXCLUSIVELY USE WITH MICRO VELCRO INTERFACE PADS. USE MICRO VELCRO INTERFACE PAD **971-0049** (HARD) TO FLATTEN THE SURFACE AND INCREASE AGGRESSIVENESS AND USE INTERFACE PAD **971-0039** (SOFT) FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.

## SUPER ASSILEX SUPER TACK DISCS 125 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
195-1538	K600*		25	1000
195-1539	K800*		25	1000
195-1540	K1200*		25	1000



EXCLUSIVELY USE WITH MICRO VELCRO INTERFACE PADS. USE IN COMBINATION WITH BACK-UP PAD **972-0003** (PAGE 53) AND INTERFACE PAD **971-0044** (PAGE 55).

## SUPER ASSILEX SUPER TACK DISCS 75 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
730-2510	K600*		50	1800
730-2508	K800*		50	1800
730-2507	K1200*		50	1800
730-2505	K1500*		50	1800



INCLUDING INTERFACE PAD **971-7503** (PAGE 55).

ALSO IDEAL FOR SANDING SOLID MINERAL SURFACES (K320, K360, K400, K500, K600) AND SANDING OLD COATINGS IN THE WOOD BRANCH (K240, K320).

# SUPER ASSILEX PADS

## SUPER ASSILEX BACK-UP PAD - **HARD** 150 MM - 15 HOLES

Art. No.	Thread Size	Box
885-0163	5/16"	1



## SUPER ASSILEX SUPER TACK INTERFACE PAD - **HARD** 150 MM - 15 HOLES



Art. No.	Box
971-0057	2

 USE THE HARD INTERFACE PADS TO FLATTEN THE SURFACE AND INCREASE AGGRESSIVENESS.


## SUPER ASSILEX SUPER TACK INTERFACE PAD - **HARD** 150 MM - 7 HOLES



Art. No.	Box
971-0049	2

 USE THE HARD INTERFACE PADS TO FLATTEN THE SURFACE AND INCREASE AGGRESSIVENESS.

## SUPER ASSILEX SUPER TACK INTERFACE PAD - **SOFT** 150 MM - 15 HOLES



Art. No.	Box
971-0091	2

 USE THE SOFT INTERFACE PADS FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.

## SUPER ASSILEX SUPER TACK INTERFACE PAD - **SOFT** 150 MM - 7 HOLES



Art. No.	Box
971-0039	2


 USE THE SOFT INTERFACE PADS FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.

 USE MICRO VELCRO INTERFACE PADS FOR SUPER ASSILEX DISCS TO AVOID SANDING SCRATCHES CAUSED BY TOO COARSE VELCRO.

# SUPER ASSILEX SHEETS & ACCESSORIES

## SUPER ASSILEX SUPER TACK SHEETS 130 X 170 MM

Art. No.	Grit	Application	Box	Carton
191-2517	K240*		25	500
191-2515	K320*		25	500
191-1515	K360*		25	500
191-2513	K400*		25	500
191-2512	K500*		25	500
191-1508	K600*		25	500
191-1509	K800*		25	500
191-2507	K1000*		25	500
191-1510	K1200*		25	500
191-2505	K1500		25	500



WITH PERFORATION LINE: CAN EASILY BE DIVIDED INTO TWO SHEETS OF 130 X 85 MM.  
\*SEE PAGE 30 FOR PRODUCT TIP.

## SUPER ASSILEX SUPER TACK HAND PADS

Art. No.			Box
971-0026	HAND PAD L	97 x 150 MM	2
971-0025	HAND PAD M	75 x 120 MM	4
971-0094	HAND PAD M - Hard	75 x 120 MM	4

HAND PAD L & M (**971-0026, 971-0025**) HAVE TWO CORNERS WITHOUT VELCRO, SO THE SHEET CAN EASILY BE PEELED OFF WITHOUT DAMAGING THE PAD.

USE SUPER ASSILEX SUPER TACK HAND PAD M - HARD (**971-0094**) ONLY IN COMBINATION WITH SUPER ASSILEX K240 SHEETS 130 X 85 MM.



## SUPER ASSILEX INTERFACE PAD 75 X 120 MM

Art. No.	Box
971-0035	4

USE IN COMBINATION WITH ASSILEX/BUFLEX SANDER KO-202 (**910-0202**) (PAGE 46) OR PROMA-X AIR ASSILEX / BUFLEX SANDER (**910-0660**) (PAGE 49).



**SUPER ASSILEX HANDBLOCK & INTERFACE PAD - LARGE  
120 X 160 MM**



**SUPER ASSILEX HANDBLOCK & INTERFACE PAD - SMALL  
72 X 125 MM**



Art. No.		For Sheet	Box
885-2140	HANDBLOCK	130 x 170 MM	1
885-2191	INTERFACE PAD	130 x 170 MM	1

Art. No.		For Sheet	Box
885-2190	HANDBLOCK	130 x 85 MM	1
885-2197	INTERFACE PAD	130 x 85 MM	1


 COMBINE THE SUPER ASSILEX HANDBLOCKS AND INTERFACE PADS (EXTRA HARD) TO FLATTEN THE SURFACE AND TO INCREASE AGGRESSIVENESS. USAGE WITHOUT INTERFACE PAD MAKES THE HANDBLOCK MORE FLEXIBLE.



# YELLOW FILM


## YELLOW FILM SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
524-0800	P800		50	600
524-1000	P1000		50	600
524-1200	P1200		50	600
524-1500	P1500		50	600
524-2000	P2000		50	600




## YELLOW FILM SUPER TACK DISCS 152 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
779-0800	P800		50	600
779-1000	P1000		50	600
779-1200	P1200		50	600
779-1500	P1500		50	600




## YELLOW FILM SUPER TACK DISCS 152 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
778-0800	P800		50	600
778-1000	P1000		50	600
778-1200	P1200		50	600
778-1500	P1500		50	600



## YELLOW FILM SUPER TACK DISCS 125 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
555-0800	P800		50	600
555-1000	P1000		50	600
555-1200	P1200		50	600
555-1500	P1500		50	600




FOR MAXIMUM DURABILITY, USE LOW TO MEDIUM MACHINE SPEED. THIS PROVIDES A COOL SANDING PROCESS.

## YELLOW FILM SUPER TACK DISCS 75 MM - WITHOUT HOLES


Art. No.	Grit	Application	Box	Carton
730-0800	P800		50	1800
730-1500	P1500		50	1800
730-2000	P2000		50	1800

INCLUDING INTERFACE PAD **971-7502** (PAGE 55).



## YELLOW FILM SUPER TACK DISCS 77 MM - MULTIHOLE

Art. No.	Grit	Application	Box	Carton
731-0800	P800		50	1800
731-1000	P1000		50	1800
731-1200	P1200		50	1800
731-1500	P1500		50	1800
731-2000	P2000		50	1800



NEW

## YELLOW FILM STICK-ON DISCS 35 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
881-1500	P1500		100	2000
881-2000	P2000		100	2000

USE IN COMBINATION WITH INTERFACE TRANSFER PAD **910-3501-47** OR DOUBLE FINGER PAD (**971-0023**) FOR MANUAL USE.



## DOUBLE FINGER PAD 31 MM

Art. No.	Box
971-0023	5

USE IN COMBINATION WITH YELLOW FILM STICK-ON (**881-1500, 881-2000**) AND TOLECUT STICK-ON (**192-1513, -1512, -1511**). (PAGE 37)



## STICK-ON INTERFACE TRANSFER PAD 32 MM

Art. No.	Box
910-3501-47	1

FOR TOUCH-UP SANDER (**910-3501**) (PAGE 46). THE INTERFACE TRANSFER PAD TRANSFORMS SUPER TACK INTO STICK-ON. SUITABLE FOR YELLOW FILM STICK-ON (**881-1500, 881-2000**) AND TOLECUT STICK-ON (**192-1513, -1512, -1511**). (PAGE 37)



# TOLECUT

## TOLECUT STICK-ON SHEETS 70 X 114 MM

Art. No.	Grit	Application	Box	Carton
191-1517	K800	☒	25	1000
191-1516	K1200	☒	25	1000
191-1513	K1500	☒	25	1000
191-1512	K2000	☒	25	1000
191-1519	K2500	☒	25	1000
191-1511	K3000	☒	25	1000

 K800 & K1200 IDEAL FOR REMOVING RUNNERS AND FLATTENING BIGGER SURFACES.

 USE IN COMBINATION WITH TOLECARD (971-0048), TOLECUT HAND PAD (858-1550) OR TOLEBLOCK QM (971-0059).



## TOLECARD 66 X 110 MM

Art. No.	Box
971-0048	10

 MAXIMUM FLEXIBILITY FOR CURVES AND EDGES.



## TOLECUT HAND PAD 110 X 65 X 46 MM

Art. No.	Box
858-1550	1

 USE THE BLUE SIDE (SOFT) FOR MORE FLEXIBILITY AND THE WHITE SIDE (HARD) FOR MORE AGGRESSIVENESS.




## TOLECUT STICK-ON SHEETS - 1/8 29 X 35 MM

Art. No.	Grit	Application	Box	Carton
191-1527	K800	☒	200	8000
191-1526	K1200	☒	200	8000
191-1523	K1500	☒	200	8000
191-1522	K2000	☒	200	8000
191-1528	K2500	☒	200	8000
191-1521	K3000	☒	200	8000

 USE K800 & K1200 TO REMOVE BIGGER IMPERFECTIONS.

 USE IN COMBINATION WITH TOLEBLOCK (971-0047) OR TOLEBLOCK QS (971-0056).



## TOLECUT STICK-ON SHEETS - 1/4 70 X 29 MM

Art. No.	Grit	Application	Box	Carton
191-1547	K800	☒	100	4000
191-1546	K1200	☒	100	4000

 FOR THE REMOVAL OF RUNNERS AND BIGGER IMPERFECTIONS ON FLAT SURFACES.

 USE IN COMBINATION WITH TOLEBLOCK M (971-0055).



## TOLEBLOCK S 26 X 32 MM

Art. No.	Box
971-0047	10



## TOLEBLOCK M 68 X 27 MM

Art. No.	Box
971-0055	5



 FOR ERASING RUNNERS. USE IN COMBINATION WITH TOLE CUT 1/4.

## TOLEBLOCK QS ROUND SMALL

Art. No.	Box
971-0056	6



 USE WITH TOLE CUT 1/8 FOR SANDING IN ROUND / CONCAVE AREAS.

## TOLEBLOCK QM ROUND BIG


Art. No.	Box
971-0059	2



 USE WITH TOLE CUT SHEET FOR SANDING IN ROUND / CONCAVE AREAS.

## TOLE CUT STICK-ON DISCS 34 MM

Art. No.	Grit	Application	Box
192-1513	K1500	X	600
192-1512	K2000	X	600
192-1514	K2500	X	600
192-1511	K3000	X	600




 RECOMMENDED FOR INDUSTRY. MACHINE USAGE: USE IN COMBINATION WITH STICK-ON INTERFACE TRANSFER PAD (910-3501-47). MANUAL USAGE: USE IN COMBINATION WITH DOUBLE FINGER PAD (971-0023). (PAGE 35)

## TOLEX SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
193-1563	K1500		25	1000

USE IN COMBINATION WITH MICRO VELCRO TOLEX INTERFACE PAD (971-0027).



## TOLEX SUPER TACK INTERFACE PAD 150 MM - 15 HOLES


Art. No.	Box
971-0027	MICRO VELCRO 2



## TOLEX SUPER TACK DISCS 125 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
195-1593	K1500		25	1000

USE IN COMBINATION WITH MICRO VELCRO INTERFACE PAD 971-0044 (PAGE 55).



## TOLEX SUPER TACK DISCS 75 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
730-1502	K1500		50	1800


INCLUDING INTERFACE PAD 971-7503 (PAGE 55).



## TOLEX SUPER TACK SHEETS 130 X 170 MM

Art. No.	Grit	Application	Box	Carton
191-1533	K1500		25	500

WITH PERFORATION LINE: CAN EASILY BE DIVIDED INTO TWO SHEETS OF 130 X 85 MM. USE WITH SUPER ASSILEX HAND PAD M (971-0025) OR SUPER ASSILEX HAND PAD L (971-0026) (PAGE 32). FOR AN EVEN FINER RESULT USE THE BUFLEX DRY HAND PAD (971-0060) (MANUAL USE) OR INTERFACE PAD (971-0061) (MACHINE USE) (PAGE 41).



REDUCE YOUR POLISHING TIME BY USING TOLEX K1500 BETWEEN YELLOW FILM AND BUFLEX DRY.

# TOLEX STICK-ON

## TOLEX STICK-ON DISCS 152 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
192-1503	K1500		25	1500

 FOR MORE AGGRESSIVENESS USE INTERFACE PAD HARD (971-0017).  
FOR MORE UNIFORMITY USE INTERFACE PAD SOFT (971-0014).



## TOLEX STICK-ON INTERFACE PAD - HARD 150 MM - WITHOUT HOLES

Art. No.	Box
971-0017	2



## TOLEX / BUFLEX WET STICK-ON INTERFACE PAD - SOFT 150 MM - WITHOUT HOLES

Art. No.	Box
971-0014	2



## TOLEX STICK-ON SHEETS 70 X 114 MM

Art. No.	Grit	Application	Box	Carton
191-1503	K1500		25	750

 USE IN COMBINATION WITH TOLEX STICK-ON HAND PAD (971-0016).



## TOLEX STICK-ON HAND PAD 62 X 111 MM

Art. No.	Box
971-0016	2




# BUFLEX DRY

## BUFLEX DRY SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
193-1565	K2000		25	1000
193-1562	K2500		25	1000
193-1564	K3000		25	1000

 ONLY USE IN COMBINATION WITH INTERFACE PAD **971-0065**.



## BUFLEX DRY SUPER TACK INTERFACE PAD 150 MM - 15 HOLES


Art. No.		Box
971-0065	FEMALE - FEMALE VELCRO	2



## BUFLEX DRY SUPER TACK DISCS 125 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
195-1535	K2000		25	1000
195-1534	K3000		25	1000

 ONLY USE IN COMBINATION WITH INTERFACE PAD **971-0067**.



## BUFLEX DRY SUPER TACK INTERFACE PAD 125 MM - 7 HOLES

Art. No.		Box
971-0067	FEMALE - FEMALE VELCRO	2




UTILIZE BUFLEX DRY EXCLUSIVELY IN COMBINATION WITH THE MATCHING, INNOVATIVE FEMALE-FEMALE VELCRO INTERFACE PADS FOR A PERFECT SANDING RESULT. THIS AVOIDS SANDING SCRATCHES CAUSED BY WRONG VELCRO AND LEAVES LESS SCRATCHES WHICH RESULTS IN SHORTER POLISHING TIME.

## BUFLEX DRY SUPER TACK DISCS 75 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
730-1513	K2000		50	1800
730-1515	K2500		50	1800
730-1514	K3000		50	1800

 ONLY USE IN COMBINATION WITH INTERFACE PAD **971-0068**.



## BUFLEX DRY SUPER TACK INTERFACE PAD 75 MM - WITHOUT HOLES


Art. No.	Box
971-0068	FEMALE - FEMALE VELCRO 4



## BUFLEX DRY SUPER TACK SHEETS 130 x 170 MM

Art. No.	Grit	Application	Box	Carton
191-1532	K2000		25	500
191-1534	K2500		25	500
191-1531	K3000		25	500

 WITH PERFORATION LINE: CAN EASILY BE DIVIDED INTO TWO SHEETS OF 130 X 85 MM.  
USE IN COMBINATION WITH HAND PAD **971-0060** FOR MANUAL USE AND WITH INTERFACE PAD **971-0061** FOR MACHINE USE.



FINISHING

## BUFLEX DRY SUPER TACK HAND PAD & INTERFACE PAD 78 x 123 MM

Art. No.	Box
971-0060	FEMALE - FEMALE VELCRO 2

FOR MANUAL USE.

Art. No.	Box
971-0061	FEMALE - FEMALE VELCRO 2

FOR MACHINE USE.



# BUFLEX WET STICK-ON


## BUFLEX WET STICK-ON DISCS 152 MM - WITHOUT HOLES



Art. No.	Grit	Application	Box	Carton
192-1502	K2000		25	1500
192-1501	K3000		25	1500



USE IN COMBINATION WITH TOLEX/BUFLEX WET INTERFACE PAD (971-0014).



## TOLEX / BUFLEX WET INTERFACE PAD - SOFT 150 MM - WITHOUT HOLES



Art. No.	Box
971-0014	2



## BUFLEX WET STICK-ON SHEETS 70 X 114 MM



Art. No.	Grit	Application	Box	Carton
191-1502	K2000		25	750
191-1501	K3000		25	750



USE IN COMBINATION WITH BUFLEX STICK-ON PAD NH (HARD) 971-0013 OR PAD NS (SOFT) 971-0012.



## BUFLEX WET STICK-ON HAND PAD NH - HARD 110 X 70 X 50 MM



Art. No.	Box
971-0013	2



## BUFLEX WET STICK-ON HAND PAD NS - SOFT 110 X 70 X 50 MM




Art. No.	Box
971-0012	2



# ASSILEX STICK-ON & ACCESSORIES

## ASSILEX STICK-ON SHEETS 85 X 130 MM

Art. No.	Grit	Application	Box	Carton
191-1505	K800	●	50	1000
191-1504	K1500	●	50	1000




## ASSILEX STICK-ON HAND PAD AU - HARD 83 X 130 MM

Art. No.	Box
971-0020	2




## ASSILEX STICK-ON HAND PAD AH - SOFT 83 X 130 MM

Art. No.	Box
971-0021	2



## ASSILEX STICK-ON HAND PAD AS - SOFT 83 X 130 MM

Art. No.	Box
971-0022	6



FINISHING

# POLISH

## K2IN1 - RUBBING POLISH COMPOUND 1 L

Art. No.	Box	Carton
852-1898	1	6

 ONE SOLUTION FOR ALL MODERN PAINT SYSTEMS. HIGH CUTTING POWER AND LONG LASTING GLOSSY FINISH.

 USE IN COMBINATION WITH THE YELLOW HEXAGON PAD **858-6751** OR **858-6752**. FOR MORE AGGRESSIVENESS USE THE WOOL COMPOUNDING PADS **858-6798** & **858-6797**.



## K2 - POLISH COMPOUND 1 L

Art. No.	Box	Carton
852-1847	1	6

 PERFECT FOR DARK PAINT COLOURS FOR A HIGH GLOSS FINISH, WITHOUT SWIRL MARKS OR HOLOGRAMS.

 USE IN COMBINATION WITH THE BLACK HEXAGON FOAM PAD **858-6754** OR **858-6755**.



## RUBBING COMPOUND - ULTRA FINE 1 L

Art. No.	Box	Carton
852-1870	1	6

 APPLY WITH FOAM PAD **M00-4045** OR THE YELLOW HEXAGON FOAM PADS **858-6751** & **858-6752**.



## EAGLE PLEX - WATERBASE 1 L

Art. No.	Box	Carton
852-4050	1	6

 SPECIALLY MADE TO REMOVE SCRATCHES IN PLEXIGLAS AND POLYCARBONATE.



## RUBBING COMPOUND - ULTRA MORDENTE 4 L

Art. No.
852-4009

 VERY AGGRESSIVE. IDEAL FOR THE MARINE INDUSTRY.



# POLISH PADS

## YELLOW HEXAGON FOAM PAD - **HARD** 190 MM & 100 MM

Art. No.		Box
858-6751	190 MM	1
858-6752	100 MM	2



190 MM SUITABLE FOR BACK-UP PAD 150 MM (**858-0120**) (PAGE 53).  
100 MM SUITABLE FOR BACK-UP PAD 72 MM (**M00-4043**) (PAGE 54).  
LESS HEAT DEVELOPMENT THANKS TO THE HEXAGON STRUCTURE.



## BLACK HEXAGON FOAM PAD - **SOFT** 190 MM & 100 MM

Art. No.		Box
858-6754	190 MM	1
858-6755	100 MM	2



190 MM SUITABLE FOR BACK-UP PAD 150 MM (**858-0120**) (PAGE 53).  
100 MM SUITABLE FOR BACK-UP PAD 72 MM (**M00-4043**) (PAGE 54).  
LESS HEAT DEVELOPMENT THANKS TO THE HEXAGON STRUCTURE.



## WOOL COMPOUNDING PADS 150 MM & 80 MM

Art. No.		Box
858-6798	150 MM	1
858-6797	80 MM	1



100% NATURAL LAMBS WOOL. USE THE WOOL COMPOUNDING PADS WHEN MORE AGGRESSIVENESS IS REQUIRED. ONLY USE IN COMBINATION WITH K2IN1.



## WOOL COMPOUNDING PADS & FOAM PAD - **HARD & SOFT** 80 MM

Art. No.		Box	Carton
M00-4047	Wool - Hard	1	20
M00-4048	Wool - Soft	1	10
M00-4045	Foam - Soft	1	10



# TOOLS

## MINI ORBITAL SANDER KD-501 72 MM

Art. No.	Box	Carton
910-7501	1	20

MAX. ROTATION: 13.000 RPM. AIR CONSUMPTION: 275 L/MIN. WEIGHT: 0,62 KG.  
AIR PRESSURE: 4-6 BAR. ORBIT: 3 MM. INCLUDING BACK-UP PAD **M750-148** (PAGE 54).



## TOUCH-UP SANDER 31 MM

Art. No.	Box	Carton
910-3501	1	20

MAX. ROTATION: 8.500 RPM. AIR CONSUMPTION: 140 L/MIN. WEIGHT: 0,475 KG.  
AIR PRESSURE: 4-6 BAR. ORBIT: 3 MM. INCLUDING PAD **910-3501-46** AND STICK-ON  
INTERFACE TRANSFER PAD **910-3501-47** (PAGE 35).



## TOUCH-UP SUPER TACK PAD 31 MM

Art. No.	Box
910-3501-46	1


 FOR TOUCH-UP SANDER (**910-3501**). USE IN COMBINATION WITH STICK-ON  
INTERFACE TRANSFER PAD (**910-3501-47**) (PAGE 35).



## ASSILEX / BUFLEX SANDER KO-202 70 X 115 MM

Art. No.	Box	Carton
910-0202	1	6

MAX. ROTATION: 8.500 RPM. AIR CONSUMPTION: 340 L/MIN. WEIGHT: 0,74 KG.  
AIR PRESSURE: 4-6 BAR. ORBIT: 3 MM. INCLUDING BACK-UP PAD **910-0202-36**.



## POLISHER KP-302 123 MM

Art. No.	Box	Carton
910-0302	1	6

MAX. ROTATION: 3.000 RPM. AIR CONSUMPTION: 450 L/MIN. WEIGHT: 1,20 KG.  
AIR PRESSURE: 4-6 BAR. INCLUDING BACK-UP PAD (972-3201).



## POLISHER KP-301 72 MM

Art. No.	Box	Carton
910-0301	1	10

MAX. ROTATION: 2.500 RPM. AIR CONSUMPTION: 350 L/MIN. WEIGHT: 0,70 KG.  
AIR PRESSURE: 4-6 BAR. INCLUDING BACK-UP PAD **M00-4043** (PAGE 54) AND WOOL  
COMPOUNDING PAD **M00-4047** (PAGE 45).



## POLISHER 450 PL 72 MM

Art. No.	Box	Carton
M00-4000	1	10

MAX. ROTATION: 5.000 RPM. AIR CONSUMPTION: 350 L/MIN. WEIGHT: 0,90 KG.  
AIR PRESSURE: 4-6 BAR. INCLUDING BACK-UP PAD **M00-4043** (PAGE 54), WOOL  
COMPOUNDING PAD **M00-4047** AND FOAM PAD **M00-4045** (PAGE 45).



WARRANTY  
**1+2**

### UNIQUE WARRANTY IN FIRST YEAR

WITH A KOVAX MACHINE YOU ARE OFFERED THE MOST EXTENSIVE WARRANTY THERE IS IN THE MARKET. DIFFERENT TO THE COMPETITION KOVAX GUARANTEES A 1-YEAR WARRANTY AS STANDARD INCLUDING WEAR AND TEAR PARTS, WHICH ARE NORMALLY EXCLUDED FROM THE WARRANTY. KOVAX DOES THAT DIFFERENTLY, BECAUSE THE KOVAX BRAND STANDS FOR HIGH QUALITY, WHICH MEANS MACHINES SHOULD LAST A YEAR OR MORE WITHOUT ANY DEFECTS.

### REGISTER YOUR MACHINE FOR EXTRA WARRANTY

REGISTER YOUR MACHINE ONLINE WITHIN 30 DAYS AFTER PURCHASE AND EXTEND YOUR STANDARD WARRANTY OF 1 YEAR WITH 2 EXTRA YEARS. FOR REGISTRATION AND MORE INFORMATION VISIT [WWW.KOVAX.EU/WARRANTY](http://WWW.KOVAX.EU/WARRANTY).



## PROMA-X AIR 150 PNEUMATIC RANDOM ORBITAL SANDER - 150 MM

Art. No.	Box
910-0600	1

MAX. ROTATION: 12.000 RPM. AIR CONSUMPTION: 480 L/MIN. WEIGHT: 0,95 KG.  
AIR PRESSURE: 4-6 BAR. ORBIT: 5 MM. INCLUDING BACK-UP PAD **973-0001** (PAGE 52).  
NOT COVERED BY WARRANTY IN CASE OF INDUSTRIAL USAGE.



## PROMA-X AIR SHEET SANDER PNEUMATIC ORBITAL SANDER - 70 X 198 MM

Art. No.	Box
910-0650	1

AIR CONSUMPTION: 350 L/MIN. AIR PRESURE: 5-6 BAR. ORBIT: 5 MM.  
WEIGHT: 1.10 KG. INCLUDING BACK-UP PAD: **910-0650-1** (PAGE 54). NOT  
COVERED BY WARRANTY IN CASE OF INDUSTRIAL USAGE.



**PROMA-X AIR ASSILEX / BUFLEX SANDER  
PNEUMATIC ORBITAL SANDER - 70 X 108 MM**

Art. No.	Box
910-0660	1

AIR CONSUMPTION: 350 L/MIN. AIR PRESURE: 5-6 BAR ORBIT: 3 MM.  
WEIGHT: 0.65 KG. INCLUDING BACK-UP PAD: **910-0660-1** (PAGE 54) + INTERFACE  
PAD: **971-0035** (PAGE 32) & **971-0061** (PAGE 41). NOT COVERED BY WARRANTY IN  
CASE OF INDUSTRIAL USAGE.



**PROMA-X AIR 75  
PNEUMATIC RANDOM ORBITAL SANDER - 75 MM**

Art. No.	Box
910-0680	1

AIR CONSUMPTION: 350 L/MIN. ORBIT: 2,5 MM. AIR PRESSURE: 6 BAR. WEIGHT: 0,5 KG.  
NOT COVERED BY WARRANTY IN CASE OF INDUSTRIAL USAGE.  
INCLUDING BACK-UP PAD **910-0680-1**. (PAGE 54)



**PROMA-X AIR 75D - WITH DUST EXTRACTION  
PNEUMATIC RANDOM ORBITAL SANDER - 75 MM**

Art. No.	Box
910-0685	1

AIR CONSUMPTION: 350 L/MIN. ORBIT: 2,5 MM. AIR PRESSURE: 6 BAR.  
WEIGHT: 0,6 KG. NOT COVERED BY WARRANTY IN CASE OF INDUSTRIAL USAGE.  
INCLUDING BACK-UP PAD **910-0685-1**. (PAGE 54)



**PROMA-X ELECTRIC POLISHER  
ELECTRIC ROTARY POLISHER**

Art. No.	Box
910-0670	1

ROTATIONS: 750 - 2500 RPM, 6 SPEEDS. VOLTAGE: 220 - 240 V. POWER: 1050 W.  
WEIGHT: 2,2 KG. INCLUDING BACK-UP PAD.



# PROMA-X DUST EXTRACTOR

KEEP YOUR WORKPLACE CLEAN WITH THE PROMA-X DUST EXTRACTORS. CHOOSE THE COMBINATION THAT BEST SUITS TO YOUR NEEDS, THANKS TO THE TWO OPTIONAL UPGRADES.

## PROMA-X DUST EXTRACTOR L-CLASS

THE L-CLASS CAN VACUUM DUST OF **1 MG/M<sup>3</sup>**. THE PROMA-X DUST EXTRACTOR SET COMES STANDARD WITH THE ANTISTATIC DUST HOSE (**910-0840**).



+



Art. No. 910-8240

L-CLASS DUST EXTRACTOR

ANTISTATIC DUST HOSE

## UPGRADE TO PNEUMATIC ANTISTATIC DUST HOSE

- + HOSE-IN-HOSE SYSTEM
- + THIS HOSE-IN-HOSE SYSTEM ENABLES PNEUMATIC SANDING.



Art. No. 910-8230

L-CLASS DUST EXTRACTOR

ANTISTATIC PNEUMATIC DUST HOSE\*

\*INSTEAD OF ANTISTATIC DUST HOSE

## UPGRADE TO M-CLASS

- + EVEN LESS DUST EXPOSURE
- + EXTRA SAFETY INDICATOR PREVENTS OVERLOADED DUST BAG

## PROMA-X DUST EXTRACTOR M-CLASS

THE M-CLASS CAN VACUUM DUST OF **0,1 MG/M<sup>3</sup>**. THE PROMA-X DUST EXTRACTOR SET COMES STANDARD WITH THE ANTISTATIC DUST HOSE (**910-0840**).



+



Art. No. 910-8140

M-CLASS DUST EXTRACTOR

ANTISTATIC DUST HOSE

## UPGRADE TO PNEUMATIC ANTISTATIC DUST HOSE

- + HOSE-IN-HOSE SYSTEM
- + THIS HOSE-IN-HOSE SYSTEM ENABLES PNEUMATIC SANDING.



Art. No. 910-8130

M-CLASS DUST EXTRACTOR

ANTISTATIC PNEUMATIC DUST HOSE\*

\*INSTEAD OF ANTISTATIC DUST HOSE

- EXTREMELY QUIET
- SELF-CLEANING FILTER
- SUITED FOR LIQUID ABSORPTION
- LARGE DUST CAPACITY (45L)

**FOR A CLEAN &  
HEALTHY WORK  
ENVIRONMENT.**

**PROMA-X DUST EXTRACTOR  
PNEUMATIC ANTISTATIC DUST HOSE - 5 M**

Art. No.	Box
910-0830	1

THIS HOSE-IN-HOSE SYSTEM ENABLES PNEUMATIC SANDING.



**PROMA-X DUST EXTRACTOR  
ANTISTATIC DUST HOSE - 5 M**

Art. No.	Box
910-0840	1



**PROMA-X DUST EXTRACTOR  
DUST BAG SET OF 5 PIECES**

Art. No.	Box
910-0815	5

THE DUST BAGS HAVE A CAPACITY OF 5 KG.



**PROMA-X DUST EXTRACTOR  
2 WAY UNION**

Art. No.	Box
910-0812	1



**PROMA-X DUST EXTRACTOR  
FILTERS M & L CLASS SET 2 PIECES**

Art. No.	Box
910-0813	2



# BACK-UP PADS & ADAPTERS

## PROMA-X BACK-UP PAD - MEDIUM 150 MM - MULTIHOLE

Art. No.	Thread Size	Box
973-0001	5/16"	1



## PROMA-X FUSION BACK-UP PAD - MEDIUM 150 MM - MULTIHOLE

Art. No.	Thread Size	Box
973-0003	5/16" + M8	1

THIS MULTIHOLE BACK-UP PAD IS SUITABLE FOR FESTOOL MACHINES AND CAN BE EXTENDED FOR RUPES WITH ADAPTERS.



## PROMA-X FUSION PAD ADAPTER FOR RUPES SKORPIO PNEUMATIC

Art. No.	Thread Size	Box
973-0004	5/16"	1

WITH THIS ADAPTER, THE PROMA-X FUSION BACK-UP PAD (973-0003) CAN BE USED ON RUPES SKORPIO PNEUMATIC MACHINES.



## PROMA-X FUSION PAD ADAPTER FOR RUPES SKORPIO ELECTRIC

Art. No.	Thread Size	Box
973-0005	5/16"	1

WITH THIS ADAPTER, THE PROMA-X FUSION BACK-UP PAD (973-0003) CAN BE USED ON RUPES SKORPIO ELECTRICAL MACHINES.



## PROMA-X AIR 150 BACK-UP PAD - MEDIUM 150 MM - 15 HOLES

Art. No.	Thread Size	Box
885-0159	5/16"	1




**BACK-UP PAD - MEDIUM  
150 MM - 15 HOLES**

Art. No.	Thread Size	Box
M00-1070	5/16" + M8	1



**BACK-UP PAD - MEDIUM  
150 MM - 7 HOLES**

Art. No.	Thread Size	Box
M00-1038	5/16"	1



**BACK-UP PAD FOR POLISHER  
150 MM**

Art. No.	Thread Size	Box
858-0120	M14	1



**BACK-UP CONVERSION PAD - MEDIUM  
125 MM - 7 HOLES**


Art. No.	Thread Size	Box
972-0003	5/16" conversion pad	1

CONVERTS A 152 MM SYSTEM INTO A 125 MM SYSTEM.



**BACK-UP PAD - MEDIUM  
125 MM - 7 HOLES**

Art. No.	Thread Size	Box
972-0015	5/16"	1



**BACK-UP PAD FOR POLISHER  
75 MM**

Art. No.	Thread Size	Box
M00-4043	5/16"	1




**BACK-UP PAD  
75 MM**

Art. No.	Thread Size	Box
M750-148	M6	1



**PROMA-X AIR SHEET SANDER BACK-UP PAD  
70 X 198 MM - MULTIHOLE**

Art. No.	Box
910-0650-1	1



**PROMA-X AIR ASSILEX / BUFLEX SANDER BACK-UP PAD  
70 X 108 MM**

Art. No.	Box
910-0660-1	1



**PROMA-X AIR 75 BACK-UP PAD  
75 MM**

Art. No.	Box
9100680-1	1



NEW

**PROMA-X AIR 75D BACK-UP PAD  
75 MM - 6 GATEN**

Art. No.	Box
9100685-1	1



NEW

# INTERFACE PADS

## INTERFACE PAD - **SOFT** 150 MM - **MULTIHOLE**

Art. No.	Box
973-0002	1



## INTERFACE PAD - **SOFT** 150 MM - **15 HOLES**

Art. No.	Box
M00-4633	1



## INTERFACE PAD - **SOFT** 125 MM - **7 HOLES**

Art. No.	Box
971-0044	MICRO VELCRO 2



## INTERFACE PAD - **SOFT** 75 MM - **6 HOLES**

Art. No.	Box
973-0006	1



## INTERFACE PAD - **SOFT** 75 MM

Art. No.	Box
971-7502	4

 USE IN COMBINATION WITH BACK-UP PAD **M750-148**.



## INTERFACE PAD - **SOFT** 75 MM

Art. No.	Box
971-7503	MICRO VELCRO 4



# ACCESSORIES

## SPY SPRAY 400 ML

Art. No.	
852-5500	Black
852-5510	White

 USE WHEN SANDING PUTTY AND PRIMER.



## DRY GUIDE COAT 100 G

Art. No.	
886-2001	Black
886-2002	Orange

INCL. APPLICATOR

 USE WHEN SANDING PUTTY AND PRIMER.



## MICRO BRUSHES

Art. No.	Box
886-1050	100



## MICROFIBER CLOTH 400 X 400 MM

Art. No.	Box
851-4161	1



## PREMIUM MASKING TAPE

Art. No.	Dimension	Box
900-5018	18 MM X 50 M	48
900-5024	24 MM X 50 M	36
900-5036	36 MM X 50 M	24
900-5048	48 MM X 50 M	24



COMPATIBLE FOR NEARLY ALL COMMON WATERBASED AS WELL AS SOLVENT-BASED PAINTS. EXCELLENT PROPERTIES FOR ROUND SHAPED SURFACES. GOOD TAPE-ON-TAPE ADHESION. EASY REMOVAL. LEAVES NO RESIDUES (WHEN REMOVED ON TIME WHEN PAINT IS DRY). HEAT RESISTANT: 80°C FOR 30 MINUTES.

## TRIM MASKING TAPE 50 MM X 10 M

Art. No.		Box
900-1050	Non-perforated	1
900-1051	Perforated	1



SAVES LABOUR TIME AND COSTS OF REPLACING MOLDINGS. CAN BE USED FOR MASKING FIXED RUBBERS, SUCH AS WINDOW RUBBERS AND RUBBERS AROUND FRONT - AND TAILLIGHTS. EASY TO REMOVE WITHOUT LEAVING ADHESIVE RESIDUE (WHEN REMOVED ON TIME WHEN PAINT IS DRY). HEAT RESISTANT: 120°C FOR 30 MINUTES.

## SOFTAPE MASKING FOAM 13 MM X 50 M

Art. No.	Box
900-1350	1

SELF ADHESIVE FOAM TAPE FOR FAST AND EASY MASKING COMMON BODYWORK GAPS PRIOR TO PAINTING. SEALS GAPS AND ELIMINATES UNNECESSARY REWORK TIME DUE TO UNWANTED HARD PAINT EDGES. EASY TO REMOVE WITHOUT LEAVING ADHESIVE RESIDUE (WHEN REMOVED ON TIME WHEN PAINT IS DRY). HEAT RESISTANT: 95°C FOR 1 HOUR.



## PREMIUM SPRAY SUIT

Art. No.	Size	Box	Carton
888-0020	M (46/48)	1	15
888-0030	L (50/52)	1	15
888-0040	XL (54/56)	1	15
888-0050	2XL (58/60)	1	15

ADJUSTABLE WAIST FOR PERFECT FIT. ELASTIC HOOD AND WRIST CUFFS. WASHABLE. 2-WAY ZIPPER. VENTILATION. ANTISTATIC PROPERTIES.



# HANDBLOCKS

## ERGONOMIC HANDBLOCK 70 X 402 MM - MULTIHOLE

Art. No.

887-0230



## ERGONOMIC HANDBLOCK 115 X 225 MM - MULTIHOLE

Art. No.

887-0240



## ERGONOMIC HANDBLOCK 70 X 198 MM - MULTIHOLE

Art. No.

887-0210



## ERGONOMIC HANDBLOCK 70 X 125 MM - MULTIHOLE

Art. No.

887-0220



## ERGONOMIC HANDBLOCK WITH 4 ADAPTORS 70 X 198 MM - MULTIHOLE

Art. No.

887-0250



HANDBLOCK  
70 X 402 MM - MULTIHOLE

Art. No.

887-0235



HANDBLOCK  
115 X 225 MM - MULTIHOLE

Art. No.

887-0245



HANDBLOCK  
70 X 198 MM - MULTIHOLE

Art. No.

887-0215



HANDBLOCK  
70 X 125 MM - MULTIHOLE

Art. No.

887-0225



HANDBLOCKS FOR DISCS  
152 MM

Art. No.

885-0220

PLANE

885-0223

ROUND



HANDBLOCK SET FOR DISCS  
152 MM

Art. No.

885-0224



## SPECIFICATIONS

KOVAX QUALITY MEETS  
PROFESSIONAL TOOLS

64 X 46 X 150 CM

EQUIPPED WITH A LOCK

PORTABLE BOXES  
TO EASILY MOVE BETWEEN  
WORKSPACES

# PRO-MATE WORKSTATION



WANT TO KNOW ALL  
SPECS? SCAN AND  
DOWNLOAD THE  
PRO-MATE LEAFLET.



SCAN AND WATCH  
THE PRO-MATE IN  
ACTION ON OUR  
YOUTUBE CHANNEL.



# CREATE YOUR OWN PERFECT WORKSPACE.

THE **PRO-MATE WORKSTATION** CONTAINS THE FOLLOWING ACCESSORIES:



1x

### LOW PORTABLE BOX

THIS PORTABLE BOX FITS PERFECTLY INTO THE 75 MM HIGH DRAWERS AND IS ABLE TO HOLD SIX 170 X 190 X 41 MM PACKAGES.

*One included*



1x

### HIGH PORTABLE BOX

THIS PORTABLE BOX FITS PERFECTLY INTO THE 154 MM HIGH DRAWERS AND IS ABLE TO HOLD UP TO SIX 170 X 180 X 110 MM PACKAGES.

*One included*



1x

### BOTTLE HOLDER

STORE YOUR POLISH BOTTLES (IN THE TWO Ø 90 MM HOLES) AND SPY SPRAY CAN (IN THE Ø 75 MM HOLE).

*One included*



6x

### PEGBOARD HOOK

EASILY HANG UP YOUR DISCS & INTERFACE PADS ON THIS 100 MM HOOK.

*Six included*



1x

### MACHINE HOLDER

SUITABLE FOR ALL KOVAX MACHINES (EXCEPT 31 MM).

*One included*

## PRO-MATE WORKSTATION

Art. No.	Box
920-0001	1

## PRO-MATE ACCESSORIES

Art. No.	Box
920-0022	HIGH PORTABLE BOX 1
920-0021	LOW PORTABLE BOX 1
920-0023	BOTTLE HOLDER 1
920-0020	MACHINE HOLDER 1
920-0024	PEGBOARD HOOKS 6
920-0025	FOAM-X BOX 1



**ALSO AVAILABLE**  
BUT NOT INCLUDED IN THE STANDARD PRO-MATE


### FOAM-X BOX

THIS BOX CAN EASILY BE FITTED TO BOTH SIDES OF THE PRO-MATE. THE FOAM-X BOX IS DESIGNED TO HOLD ONE FOAM-X ROLL.



## SPOT ON 2.0 KIT

THIS KIT CONTAINS THE FOLLOWING INNOVATIVE PRODUCTS FOR THE RENEWAL OF POLYCARBONATE HEADLIGHTS



### SPOT ON 2.0 KIT

Art. No.	Description	QTY.
999-8812	SPOT ON 2.0 KIT	
852-1551	CLEAR COAT 125 G	1
852-1552	CATALYST 125 G	1
858-8230	HITEX 4000	2
858-5690	SPATULA	1
858-5810	MIXING CUP 300 ML	1
191-1508	SUPER ASSILEX SUPER TACK SHEETS - SKY K600	2
191-1509	SUPER ASSILEX SUPER TACK SHEETS - LEMON K800	2
191-1510	SUPER ASSILEX SUPER TACK SHEETS - ORANGE K1200	2
971-0025	SUPER ASSILEX SUPER TACK HAND PAD M	1
523-0180	MAXFILM SUPER TACK DISCS 152 MM 15H - P180	2
523-0240	MAXFILM SUPER TACK DISCS 152 MM 15H - P240	2
523-0320	MAXFILM SUPER TACK DISCS 152 MM 15H - P320	2
523-0400	MAXFILM SUPER TACK DISCS 152 MM 15H - P400	2
191-1513	TOLECUT STICK-ON SHEETS - K1500	2
191-1512	TOLECUT STICK-ON SHEETS - K2000	2
191-1511	TOLECUT STICK-ON SHEETS - K3000	2
971-0048	TOLECARD 66 X 110 MM	1

INCLUDING MANUAL.



CLEAR COAT & CATALYST MIX RATIO 1:1.



# TOLEKIT

THIS KIT CONTAINS THE FOLLOWING INNOVATIVE PRODUCTS FOR **DRY IMPERFECTION REMOVAL**.

## TOLEKIT

Art. No.	Description	QTY.
999-8816	TOLEKIT	
971-0048	TOLECARD	2
971-0059	TOLEBLOCK QM - ROUND BIG	1
971-0056	TOLEBLOCK QS - ROUND SMALL	1
971-0055	TOLEBLOCK M	1
971-0047	TOLEBLOCK S	2
191-1513	TOLE CUT STICK-ON SHEETS - K1500	5
191-1512	TOLE CUT STICK-ON SHEETS - K2000	5
191-1519	TOLE CUT STICK-ON SHEETS - K2500	5
191-1511	TOLE CUT STICK-ON SHEETS - K3000	5
191-1547	TOLE CUT STICK-ON SHEETS 1/4 - K800	20
191-1546	TOLE CUT STICK-ON SHEETS 1/4 - K1200	20
191-1523	TOLE CUT STICK-ON SHEETS 1/8 - K1500	80
191-1522	TOLE CUT STICK-ON SHEETS 1/8 - K2000	80
191-1528	TOLE CUT STICK-ON SHEETS 1/8 - K2500	80
191-1521	TOLE CUT STICK-ON SHEETS 1/8 - K3000	80

INCLUDING MANUAL.



TOLECARD

29 X 35 MM  
K1500 - K3000

TOLEBLOCK S + M

TOLEBLOCK QS + QM

70 X 114 MM  
K1500 - K3000

70 X 29 MM  
K1500 - K3000



## PRO-XPOSE SHOWCASE

Art. No.

921-0000

ESPECIALLY DESIGNED FOR TRAINING-/TEST CENTRES AND SHOPS.



Instagram



Facebook



YouTube



LinkedIn

**Kovax Europe B.V.**  
Bedrijvenpark Twente 49  
7602 KC Almelo  
The Netherlands

info@kovax.eu  
www.kovax.eu  
Tel: 0031 (0)53 - 434 31 31